

The Cisco Live! logo, featuring the word "CISCO" in a dark blue, sans-serif font, followed by "Live!" in a dark blue, script font.

CISCO *Live!*

The text "Let's go" in a large, dark blue, sans-serif font, positioned to the left of a bright white sunburst graphic that radiates across the right side of the image.

Let's go

#CiscoLiveAPJC



The bridge to possible

Cyber Resilience In Critical Infrastructure

Simon Finn, National Cyber Security Advisor
BRKIOT-1521

CISCO *Live!*

#CiscoLiveAPJC

Cisco Webex App


Questions?

Use Cisco Webex App to chat with the speaker after the session

How


- 1 Find this session in the Cisco Live Mobile App
- 2 Click “Join the Discussion”
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until December 22, 2023.



<https://ciscolive.ciscoevents.com/ciscolivebot/#BRKIOT-1521>

Vague Career timeline



Disambiguation: Security @ Cisco

Cisco Security
Business Group



Product
Sales
Partnerships
Integration

Cisco Talos



Intelligence
Vulnerability R&D
Outreach
Incident Response

Cisco Security and
Trust Organisation



SECURITY&TRUST

Defend the Enterprise
Secure products
Drive Trustworthiness

Critical Infrastructure

It's a wide range of businesses



It's all parts of a business




“Cyber resilience has become one of Australia’s greatest challenges and is critical to the nation’s economic prosperity and security”

Mike Barber, CEO A3C (Australian Cyber Collaboration Center)

Agenda

- Threat Insights
- Business Challenges
- Technology Challenges
- Strategic Imperatives
- Strategic Technology Approach
- Conclusion

Threat Insights





Threat Trends


Knowledge




Speed and Scale




Organisation



Enhanced TTP



Insider Threat



Assume you are already compromised



Business Challenges

Digitalising brings benefits

Safety & Resiliency



- Smarter protective systems
- Emergency capabilities
- Removing humans from danger

Sustainability & Efficiency



- Net Zero
- Data Driven Decisions
- Improved Quality of Life

Your business is digital



IT/OT Inter-dependency has already happened




Two worlds **converged**



IT and OT need to come together to secure
the business

Business Challenges


Scale of Data



Attack Surface



Complexity



Cyber Skills
Shortage



Compliance



Cybersecurity is a board level concern




Governance

Protection

Enablement

Cyber Regulatory Complexity




Multi-Agency (e.g. FIRB, DoHA)

Regulations span multiple government agencies, leading to fragmented oversight.



Multi-Level (fed/state/local)

Cybersecurity regulations exist at the federal, state, and local levels, creating complexity.



Low commonality (standards and priorities)

Different agencies have misaligned standards and priorities for cybersecurity.

The complex and fragmented nature of cybersecurity regulations across multiple government agencies, levels and regulators creates challenges for organizations.

Sample of Incident Reporting Requirements

Country	Scope	Timeframe	Sev. definition
Australia	Defined CI assets	12 Hours- Severe (call) 72 Hours- Other	"Significant or relevant impact"
Australia	IRAP certified services	Undefined	<u>Defined in ISM as types of incidents</u>
Australia	Privacy Data	Undefined	Any system with privacy data
Australia	Ransomware (proposed)	Undefined (WIP)	Ransomware incident
China	"Network operators"	"relevant provisions"	Undefined
EU	"Essential Entities"	<24hrs	Undefined
EU	Privacy (GDPR)	72 hours	Personal data breach
Korea	Information/DC providers	"Immediately"	Event resulting from an attack
India	SP/DC/Cloud	"Reasonable timeframe" 6 Hrs	Defined examples (includes targeted scanning)
Singapore	Critical Infra	2hrs/14 days	"Prescribed Cybersecurity incident"
Thailand	Critical Information Infra	Undefined	Any illegal action
UK	Telco services	Undefined (WIP)	Undefined

Australian Government Cyber Shields

Strong
Business and
Citizens

Safe Technology

Threat Sharing
and Blocking

Protected Critical
Infrastructure

Sovereign
Cyber Capacity
and Skills

Resilient Region and
Global leadership

To summarise....

We are defending against organized adversaries

- .. with ever evolving, new, fast and stealthy attacks

- .. That can come from anywhere, at scale

- .. Across a larger attack surface

- .. With more heterogeneity

- .. And expensive/scarce resources

- .. And more compliance obligations

Technology Challenges

Future Technology Challenges

27


Legacy Systems




AI



Quantum



Vulnerabilities increase trend expected to continue



<https://cve.icu> CVE Data

CISA Directive



The screenshot shows the CISA website header with the logo, search bar, and navigation links. The main content area displays the title "BINDING OPERATIONAL DIRECTIVE 22-01- REDUCING THE SIGNIFICANT RISK OF KNOWN EXPLOITED VULNERABILITIES" and the date "November 3, 2021". The text explains that this directive is a compulsory direction to federal, executive branch, departments and agencies for purposes of safeguarding federal information and information systems. It references Section 3553(b)(2) of title 44, U.S. Code, which authorizes the Secretary of the Department of Homeland Security (DHS) to develop and oversee the implementation of binding operational directives. Federal agencies are required to comply with DHS-developed directives. The text also states that these directives do not apply to statutorily defined "national security systems" nor to certain systems operated by the Department of Defense or the Intelligence Community.

CYBERSECURITY & INFRASTRUCTURE SECURITY AGENCY

Search [cisa.gov/uscrt](#) [Report Cyber Issue](#)

[CYBERSECURITY](#) [INFRASTRUCTURE SECURITY](#) [EMERGENCY COMMUNICATIONS](#) [NATIONAL RISK MANAGEMENT](#) [ABOUT CISA](#) [MEDIA](#)

[Cybersecurity](#) > [Directives](#) > [Binding Operational Directive 22-01](#)

Directives

- [Binding Operational Directive 15-01 \(Revoked\)](#)
- [Binding Operational Directive 16-01 \(Revoked\)](#)
- [Binding Operational Directive 16-02](#)
- [Binding Operational Directive 16-03](#)
- [Binding Operational Directive 17-01](#)
- [Binding Operational Directive 18-01](#)

BINDING OPERATIONAL DIRECTIVE 22-01- REDUCING THE SIGNIFICANT RISK OF KNOWN EXPLOITED VULNERABILITIES

November 3, 2021

This page contains a web-friendly version of the Cybersecurity and Infrastructure Security Agency's Binding Operational Directive 22-01 - Reducing the Significant Risk of Known Exploited Vulnerabilities.

A binding operational directive is a [compulsory direction](#) to federal, executive branch, departments and agencies for purposes of safeguarding federal information and information systems.

Section 3553(b)(2) of title 44, U.S. Code, authorizes the Secretary of the Department of Homeland Security (DHS) to develop and oversee the implementation of binding operational directives.

Federal agencies are [required](#) to comply with DHS-developed directives.

These directives [do not apply](#) to statutorily defined "national security systems" nor to certain systems operated by the Department of Defense or the Intelligence Community.

[Expand All Sections](#)

As of 26th Oct 2023, the CISA directive covers **1021** vulnerabilities, up from 857 in October last year

These are known exploited vulnerabilities

Australian Cyber Threats – Vulnerabilities



Figure 1: Percentage of vulnerabilities by time to exploit

- 1 in 5 vulnerabilities was exploited within 48 hours of a patch or mitigation advice being released
- half of the vulnerabilities were exploited within 2 weeks of a patch or mitigation advice being released
- 2 in 5 vulnerabilities were exploited more than one month after a patch or mitigation advice was released

Source <https://www.cyber.gov.au/about-us/reports-and-statistics/asd-cyber-threat-report-july-2022-june-2023>

And it's getting a
lot of focus



FINANCIAL REVIEW Oct 30, 2023

'Fix software bugs now': urgent appeal to business


Home Affairs and Cyber Security Minister Clare O'Neil is calling on businesses to immediately patch three major vulnerabilities that Australia's top cyber spies have warned about for as long as four months and are leaving them open to cyberattacks.

IoT is getting complex



‘Basic’ IoT - 2 Layers

IoT is getting complex




IoT is getting complex



Edge compute + Sensor data
reuse


Complex IoT – IEC 62443 Compliance

Cell zone





Field DMZ's?

Internal zone



Enterprise zone



External zone

Strategic Imperatives



Security must be
built in, at every
layer



“Layers”

Public/ Private Cloud

Network Edge

Edge Compute

Access



THINGS



So how do we...

- Have assurance at every layer?
 - Hardware
 - Software
 - Configuration
- Have visibility at every every layer?
 - Logging/Telemetry
 - Security toolsets
 - The right capabilities are in place




Continuous



Security isn't static

- CI/CD pipelines
- Continuously changing landscape
- Manual processes are expensive
- Point in time compliance
- Are point in time checks making us more secure?
- How to better inform business leaders to make more informed decisions



Speed and efficiency



Or... start with efficiency focus to increase speed

- Can we automate?
- Where do you want to spend your time?
- What can we stop doing?
- How to leverage new tools to get better or faster results



Strategic Technology Approach

A strategic approach

Visibility



Protection




Integration and
Automation




Addressing Business Challenges

Visibility




- Know Your Assets
- Know Your Communications/ Dependencies
- Know Your Vulnerabilities

Protection and Mitigation



- Pervasive Controls
- Defend the critical asset that cannot defend itself

Integration and Automation



- Enhance and Simplify
- Speed and Efficacy
- Resource efficiency

The Network is in the Ideal Position



Train
Trackside
Station



Bus
Bus Stop
Tracking



Car
V2X
Sensors



Signaling
Signage
Monitoring &
Intelligence



Network Platform: Security Control and Visibility



Business Applications: Safety, Efficiency, Mobility


Safety and compliance
Passenger experience
Data Operations
Operational Efficiency

Passenger services
Demand management
Predictive Maintenance
Capacity management

Vehicle-as-a-sensor
Weather Detection
Vulnerable road user
detection


Traffic signal phase timing,
prioritisation, preemption
Roadway Safety
Vehicle automation

IoT data security – layers



IoT data security architecture

Each layer has multiple visibility & protection capabilities needed



Integration and automation is key to deliver

Visibility



Know your attack surface

Rapid cloud adoption with multi and hybrid cloud approach



By 2021, over 75% of midsize and large organizations will have adopted a multi-cloud and/or hybrid IT strategy¹

Expansion of the attack surface that needs to be monitored



50% increase in the number of applications supported by an organization over next two years², and sharp increase in distributed workforce

Fragmented and siloed view across cyber footprint



55% of organizations do not have an accurate inventory of assets³



The result: Compliance gaps and vulnerabilities reduces overall security posture

The average time to identify a breach in 2021 was 207 days⁴



"Invisibility cloak" <https://www.cs.umd.edu/~tomg/projects/invisible/>


Know the gaps

Know the weaknesses

The network is the source of valuable information


Visibility

- A trace of every conversation
- Agentless information collection
- Remote worker endpoint data collection (NVM)
- Cloud Telemetry ingest (Flow Logs)
- East to west and north south visibility (Cisco FTD logs and NSEL)
- Light meta data collection using the existing infrastructure
- Capture enhanced NetFlow from Cisco ASR, ISR, Catalyst 9000, and Meraki platforms (GTA)





Flow information	Packets
Source address	10.1.8.3
Destination address	172.168.134.2
Source port	47321
Destination port	443
Interface	Gi0/0/1
IP TOS	0x00
IP protocol	6
Next hop	172.168.25.1
TCP flags	0x1A
Source SGT	100
:	:
ETA meta data	IDP SPLT
Application name	NBAR SECURE-HTTP
Process Name	chrome.exe
Process Account User	Acme/john

Cisco Secure Network Analytics (Stealthwatch)



Effective cloud security depends on connecting the dots – Secure Cloud Insights



Network Management Requires Visibility




DNA center taking network telemetry for network assurance

Network telemetry
contextual data

Complex event
processing

Correlated
insights

Suggested
remediation



Everything as a sensor

Over 150 actionable insights

Clients | Applications | Wireless | Switching | Routing

Experiment: AI Visibility

How many of you know The usage of AI within your company?

- Usage of external tools
- Usage within IT system/products?



How would you find out?


- Network/Endpoint traffic visibility
- Cloud/CASB
- DC app visibility

Industrial Visibility – Cisco Cyber Vision

Visibility helps outcomes for IT and OT

OT cares about Operational Insights

Did this event impact the
safety or availability of the
system?



Security cares about Cyber Threats


Is this event a malicious
attack on the system?

Industrial Asset Visibility


The screenshot displays the Cisco ICS Asset Inventory interface. At the top, a blue header bar contains the title "Asset Inventory". Below this, the interface is divided into several sections. On the left, a "Component" section shows a Rockwell Automation logo and a green status indicator. The main section displays details for a specific asset: "1769-L16ER/B LOGIX5316ER". This includes its IP address (192.168.249.50), MAC address (f4:54:33:91:cb:ee), and activity logs. To the right of the asset details, there are "Tags" and "Activity tags" sections. The "Tags" section lists "Controller", "Rockwell Automation", and "Stop CPU". The "Activity tags" section lists "Diagnostics", "Read Var", "Write Var", and "Low Volume ...3+". On the far right, there are four icons representing "Flows" (14), "Events" (9), "Vulnerabilities" (10), and "Credential". Below these, there is a "Variable" icon. The bottom section of the interface is titled "Properties" and contains a table of asset details. The table has two columns: "Properties" and "Sensor". The "Properties" column lists various attributes such as vendor-name, fw-version, model-ref, serial-number, name, ip, public-ip, and mac. The "Sensor" column lists attributes such as enip-status-ra-minor, enip-cpname, enip-serial, enip-status-ra-major, vendor, name-vendorip, name-enip, enip-name, enip-devicetype, enip-productcode, enip-version, and enip-vendor.

Properties	Sensor
vendor-name: Rockwell Automation	enip-status-ra-minor: RUN
fw-version: 31.011	enip-cpname: SecDemo_LinePLC
model-ref: 1769-L16ER/B LOGIX5316ER	enip-serial: 60771949
serial-number: 60771949	enip-status-ra-major: REM
name: 1769-L16ER/B LOGIX5316ER	vendor: Rockwell Automation
ip: 192.168.249.50	name-vendorip: Rockwell 192.168.249.50
public-ip: no	name-enip: 1769-L16ER/B LOGIX5316ER
mac: f4:54:33:91:cb:ee	enip-name: 1769-L16ER/B LOGIX5316ER
	enip-devicetype: ProgrammableLogicController
	enip-productcode: 0x99
	enip-version: 31.011
	enip-vendor: Rockwell Automation/Allen-Bradley


Asset Vulnerabilities



Communication Visibility



Security Risk



Monitor

Control System Activities

<

Activity

X

PLC_3

Gas Compression ▲ very high

IP: 192.168.105.130

MAC: 28:63:36:82:28:96

Dell

Maintenance Station ▲ high

IP: 192.168.105.241

MAC: 34:17:eb:d1:c9:97

First activity

Apr 6, 2017 10:59:13 PM

Last activity

Jun 20, 2019 12:22:27 AM

Tags:

Program Upload

,

Start CPU

,

Stop CPU

,

Read Var

,

Write Var

,


ARP

,

S7Plus

(hide)

Variable / Setpoint access



Variable	Protocol	Details	Types	Accessed by
SYNC	enip	Endpoint	READ / WRITE	SecDemo_LinePLC 1769-L16ER/B LOGIXS316ER
SYNC_NEW1	enip	Endpoint	READ	SecDemo_LinePLC 1769-L16ER/B LOGIXS316ER

Security Detection

SNORT

The screenshot displays the Cisco Snort event viewer interface. At the top, there's a navigation bar with 'category' set to 'Signature based Detection' and 'severity' set to 'veryhigh'. A search bar is present. Below the navigation bar, there's a sidebar with icons for various functions. The main area shows a list of events. Two events are visible:

- Event 1:** 16:12:09.236 Signature based Detection Snort allow on TCP id 27679 with signature A Network Trojan was detected. The event details include: Occurred at: 10/04-14:44:21.061415, Sensor: SENSORWH-INT17233, Action: allow, Gid: 1, Signature ID: 27679, Priority: 1, Rule: 1:27679:4 (Revision4), Classification: A Network Trojan was detected. Related data: DOWNLOAD DATA.
- Event 2:** 10:31:27.690 Signature based Detection Snort allow on UDP id 44037 with signature A Network Trojan was detected. The event details include: Occurred at: 07/06-08:31:27.685582, Sensor: FCH2312V03P, Action: allow, Gid: 1, Signature ID: 44037, Priority: 1, Rule: 1:44037:4 (Revision4), Classification: A Network Trojan was detected. Related data: DOWNLOAD DATA.

Below the events, there's a diagram showing the source and destination of the traffic. The source is Intel 192.168.0.12 and the destination is 212.166.210.80. The diagram also shows the component source and destination details.

Component source	Component destination
Name: Intel 192.168.0.12	Name: 212.166.210.80
MAC: 64:80:99:d8:5d:4c	MAC: a4:08:f5:e1:03:ec
IP: 192.168.0.12	IP: 212.166.210.80
Tag: HTTP Client	Tags: DNS Server, Public IP



Control System Activities

Track process modifications
Identify configuration changes
Record control system events



Variable Access

See which variables,
objects, setpoints are being
accessed or modified

Operational Insights

Control System Activities

Activity

PLC_3
Gas Compression ▲ very high
IP: 192.168.105.130
MAC: 28:63:36:82:28:96


Dell 192.168.105.241
Maintenance Station ▲ high
IP: 192.168.105.241
MAC: 34:17:eb:d1:c9:97

First activity
Apr 6, 2017 10:59:13 PM

Last activity
Jun 20, 2019 12:22:27 AM

Tags:
Program Upload, Start CPU, Stop CPU, Read Var, Write Var, ARP, S7Plus
(hide)

Variable / Setpoint access



Variable	Protocol	Details	Types	Accessed by
SYNC	enip	Endpoint	READ / WRITE	SecDemo_LinePLC 1769-L16ER/B LOGIX5316ER
SYNC_NEW1	enip	Endpoint	READ	SecDemo_LinePLC 1769-L16ER/B LOGIX5316ER


Build visibility in,
holistically



Protection



Everything is vulnerable



Source: XKCD <https://xkcd.com/1966/>

Leverage visibility to manage risk

Vulnerability



Patch or Mitigate
(defend)
Restrict Lateral
Movement

Endpoint context



Evaluate Posture &
Identity
Contextual policy

Dynamic Policy



Follows the device
Follows the user



"cisco ise posture кто
нибудль сталкивался с этой
хуйней? суть в следующем
– запускаю vpn, а он
просит провести проверку
в этой залупе, качаю
клиент, запускаю
проверяет, а сайту с
проверкой похуй"




"cisco ise posture who
faced this garbage? the
bottom line is this – I
launch vpn, and he asks to
check in this prick, I
download the client, I run
it, and the site with the
check is f#@ed"


Russian/translated chat log quote from Yanluowang leak

Least Privilege Access: Expectation vs. Reality


Expectation



Reality



Protection: As close as possible to the device



Industrial Network Protection



Network Availability

- Do you have the right level of redundancy?
 - Uplink/backhaul
 - Access
- Technology selection
 - Speed
 - Latency
 - Handover (wifi – packet loss)
 - Bandwidth (predictive/standard)



Cisco Ultra-reliable Wireless Backhaul for inshore racing video/social media


Protecting data with strong user identity

- Globally, ~81% of breaches involved compromised credentials
 - The first step towards moving beyond credentials towards password-less, is MFA
 - Useability and accessibility drives adoption
 - Not all MFA is equal – Fido2
 - Goal: Secure every app
-
- Compromised devices are a vector and can compromise authentication
 - Goal: Ensure every device authenticating is secure




Secure Equipment Access For Remote Assets

- No installation required: equipment access through browser
- Proxy: SEA Agent on Gateway is a proxy over TLS/443
- Isolation: remote user is never directly connected to remote network



The network adds a layer of data protection

- Protecting data as it traverses less secure networks
 - Encryption incl. MACsec/802.1AE
 - Integrity and access control
- Some devices may not offer adequate protection
- Protect the data the devices cannot protect themselves (weak/hard coded/quantum)



Experiment: Protection




A particular high scoring vulnerability is released. Its remote and affects a lot of devices on your network

- What mitigations can you put in places while you patch?
- How do you protect vulnerable systems in the OT space?
- Some have been exploited, how do you isolate those hosts (IT & OT)

Protection needs to
continually adapt




Integration and Automation



Source: <https://xkcd.com/1831/>

Goals of integration and automation

Your tools
simplified




Your response
accelerated



Your resources
efficacious




Simplification and Integration



2.3M

Additional cost of breach where complexity is high

Source: 2021 IBM Cost of Data breach report



41% engaged more than 10 cybersecurity partners, in a challenging multi-vendor environment

Source: 2019 Cisco CISO Benchmark Study

Some Incident Response Goals

Improved detection – Anomaly detection, timeline analysis

Improved response – Automate information to analyst

Improved engineering – Better log injections and health

Improve operational outcomes – “Assistants” training, efficiency and burnout analysis



Is AI/automation scary in a cyber security context?



EU AI Act

Penalties Up to €30 million or 6% of worldwide annual revenue (€40/7% for prohibited)

Purpose: Align development & use of AI with rights of EU individuals

Risk-based Approach




But first we must
digitise, before we
can use AI



XDR (eXtended Detection and Response)


Integrate your security toolsets



Collection of detections and raw telemetry from multiple sensor technologies across your environment




Application of advanced analytics to the collected and normalized evidence to produce correlated and prioritized detections of malicious activity




Guided responses across multiple control planes to quickly and effectively contain, mitigate, and eradicate the threat.

Threat Intelligence

Threat Sharing
and Blocking




- Use public and private sources of intelligence to achieve better threat identification.
- Create and customize your own feeds based on your environment and needs.



But we need to:

- Consume feeds and distribute to your toolsets
- Gather threat information to share with your communities

No-one uses a single vendor



Visibility and automation to other parts of your ecosystem

Cisco Security



Network



Applications



Endpoint



Cloud

XDR

Integration with 3rd party security products



3rd Party/ITSM



Intelligence



Identity



SIEM/SOAR

Your infrastructure

Integrations for Visibility (ISE)

Medical Devices



Hospital



250+ Medical device profiles

Pharma-Smart-Device
Philips-Analytical-X-Ray-Device
Philips-CareServant-Device
Philips-Healthcare-PCCI-Device
Philips-Medical-Systems-Device
Philips-Oral-Healthcare-Device
Philips-Patient-Monitoring-Device
Philips-Personal-Health-Device
Philips-Respironics-Device
Phonak-Communications-Device

IOT Building & Automation

Library





Siemens-Device
Siemens-Automation-Drives-Device
Siemens-Building-Device
Siemens-Building-Technologies-Device
Siemens-Convergence-Device
Siemens-Digital-Factory-Device
Siemens-Energy-Automation-Device
Siemens-Energy-Management-Device
Siemens-Home-Office-Device
Siemens-Industrial-Automation-Device

pxGrid



Cisco
CyberVision

pxGrid



Cisco AI Endpoint Analytics

Profiles IOT devices and sends endpoint labels via pxGrid to ISE for authorization

Integration and automation summary...

Unlock new value from your existing investments



From partial awareness to **complete** and **actionable** insights



From inefficient workflows to the **strength of automation**



From siloed product usage to **shared context**



From complexity to **simplicity**



We need to be faster



The Network is in an Ideal Position



Train
Trackside
Station



Bus
Bus Stop
Tracking



Car
V2X
Sensors



Signaling
Signage
Monitoring &
Intelligence



Network Platform: Security Control and Visibility



Business Applications: Safety, Efficiency, Mobility

Safety and compliance
Passenger experience
Data Operations
Operational Efficiency

Passenger services
Demand management
Predictive Maintenance
Capacity management

Vehicle-as-a-sensor
Weather Detection
Vulnerable road user
detection

Traffic signal phase timing,
prioritisation, preemption
Roadway Safety
Vehicle automation

“If you are working at the cutting edge of technology, you may not be interested in geopolitics, but geopolitics is interested in you, and you would be reckless...with your own companies' viability...if you didn't think about what that means”

Ken McCallum, Director General, MI5 (60 Minutes 23 Oct 2023)

Move toward explicit trust

Supply chain security



Pervasive Security
(not enough alone)



Trustworthy Solutions
(security controls and checks)



Accountable Partner
(H/W, S/W, services and methods)


A Trustworthy Solution Is:

Security designed into...




“Security embedded throughout the solution lifecycle and across the Cisco product portfolios”

Building on trustworthy foundations



Trustworthy Technologies Protection Scope



Our Interdependency with AI Growing & Getting More Complex




**Our security,
is your security**

**Our privacy,
is your privacy**

**Our resiliency,
is your resiliency**


Addressing Business Challenges

Visibility




- Detection/Threats
- Operations
- Risk visibility

Protection and Mitigation



- Mitigate vulnerabilities
- Segmentation
- Faster Response

Integration and Automation



- Scale
- Skills
- Compliance

Holistic

Continuous

Fast

Cisco IOT Sessions and Breakouts

- Securing transportation and utilities at scale [BRKIOT-1627]
- Cisco Solutions for Mission-Critical Mobile Infrastructure in Industrial IOT Environments [BRKIOT-2356]
- Using autonomous mining to improve safety and reduce carbon footprint [BRKIOT-1328]
- Improving the IT + OT Partnership Experience to Digitize the Physical World [INTIOT-1103]

Cisco IOT Demonstrations

- Cisco Industrial Technologies: The Wall of Solutions
- Securing Industrial Networks: Visibility, Trust, Secure Remote Access - [DEMO-IOT02]
 - Securely manage Who, What, Where and When access is provided to your network
- Scale OT with Cisco SD-WAN - Connect and Manage Remote Assets- [DEMO-IOT02]
 - Manage your Thousands of remote systems securely with SD-WAN
- Industrial Wireless, Anywhere ! -Fixed and Mobile Wireless for OT - [DEMO-IOT02]
 - 5G, Private LTE, WiFi6E, Ultra-Backhaul; choose the best model for your needs
- Unify IT/OT Network Operations - Industrial Ops with Catalyst Center - [DEMO-IOT02]
 - Bring IT-level visibility to industrial operations
- Edge Compute: Process data at the edge with Cisco IOX - [DEMO-IOT02]
 - A Utility case study in action

Q&A

cisco *Live!*

Did you know?

You can have a
one-on-one session with
a technical expert!

Visit Meet the Expert in The HUB
to meet, greet, whiteboard & gain
insights about your unique questions
with the best of the best.



Meet the Expert Opening Hours:

Tuesday	3:00pm – 7:00pm
Wednesday	11:15am – 7:00pm
Thursday	9:30am – 4:00pm
Friday	10:30am – 1:30pm

Session Surveys

We would love to know your feedback on this session!

- Complete a minimum of four session surveys and the overall event surveys to claim a Cisco Live T-Shirt



Continue your education



- Visit the Cisco Showcase for related demos
- Book your one-on-one Meet the Expert meeting
- Attend the interactive education with DevNet, Capture the Flag, and Walk-in Labs
- Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand




The bridge to possible

Thank you



#CiscoLiveAPJC



The background features a vibrant, multi-colored abstract design. On the left, there are horizontal, wavy bands of color in shades of red, orange, yellow, and green. On the right, a bright white light source emits a series of colorful rays in shades of blue, green, and yellow, creating a sunburst effect.

cisco *Live!*

Let's go

#CiscoLiveAPJC