

The Cisco Live! logo, featuring the word "CISCO" in a dark blue, sans-serif font, followed by "Live!" in a dark blue, script font.

CISCO *Live!*

The text "Let's go" in a large, dark blue, sans-serif font, positioned to the left of a bright white sunburst graphic that radiates across the right side of the image.

Let's go

#CiscoLiveAPJC



The bridge to possible

You, Me, and Meraki IoT

Driving value from MV Smart Cameras and MT Sensors

James McKee – Regional Sales Leader, Meraki IoT, APJC
BRKMER-2677

CISCO *Live!*

#CiscoLiveAPJC

Cisco Webex App


Questions?

Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click “Join the Discussion”
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until December 22, 2023.



<https://cislive.ciscoevents.com/cislivebot/#BRKMER-2677>

Agenda

- Introduction
- Meraki MV Smart Cameras
- Dashboard Demos
- Meraki MT Sensors
- Dashboard Demos
- Conclusion

Introduction



MISSION

To solve physical security problems by unlocking the power of the **Meraki** Platform at scale



Meraki IoT snapshot

2006

FOUNDED CLOUD
NETWORKING

2012

ACQUIRED BY CISCO

2016

IT PORTFOLIO EXPANSION TO
PHYSICAL SECURITY (MV)

2020

INTRODUCTION OF
ENVIRONMENTAL SENSORS
(MT)

TODAY

16+ YEARS DESIGNING
SCALABLE & SECURE CLOUD
ARCHITECTURE

Connecting passionate people to
their mission by **simplifying** their
workplace.


CISCO *Live!*



Meraki MV is a video surveillance leader

“Cisco Meraki MV smart cameras enable organisations to transform their security with a **scalable, enterprise-grade cloud-managed platform**. With models to suit a variety of deployments and **tools to make video access and incident response simple**, it is easy for organisations to adopt and **implement large camera and sensor deployments**.”

IDC MarketScape Worldwide Video Surveillance Camera Vendor Assessment



Source: IDC, 2023

Powered by the Meraki platform

The largest cloud platform in networking built for scale and intelligence



737,000+
customers



12+ million active
Meraki devices



4+ million active
networks




190+ active
countries



99.99% Cloud SLA

A foundation for the digital and physical



Meraki MV Smart Cameras

Challenges everywhere



Legacy systems are hard to scale and secure



Urgent needs and low tolerance for delays



Money and labour gaps




Security camera risks/concerns



Protecting against
network security
vulnerabilities



Securing access to
video to **ensure**
privacy



Managing different
levels of access for
video users

Typical security camera deployment

On-premise hardware

- Analogue or IP CCTV cameras
- Network video recorders (NVR)
- Digital video recorders (DVR)
- Video management systems (VMS)
- Power Distribution

On-premise software

- Multiple software packages
- Multiple operating systems


Operational challenges

- Manual configuration
- Firmware management
- Operating system patching
- License management
- Feature management

VMS

Video Switch (PVM)

Separate network



DVR/NVR

Infinite complexity
Network vulnerability

Power
distribution

Meraki MV **smart** cameras

Smart, secure, scalable, easy to access



Meraki MV

Smart camera designed for simplicity

FEATURE HIGHLIGHTS


- Smart search and sharing tools simplifies investigations
- Motion and schedule-based recording, and cloud archive to optimise storage
- Restrict video access with granular access controls and use video audit logs to protect privacy
- Built-in analytics, using machine learning and artificial intelligence provide valuable insight



Meraki edge architecture

Hybrid video processing

Video is analyzed on camera,
and motion is indexed in the
cloud



On-device storage

Enterprise-grade solid
state storage

Local video access


Video streams directly
to devices on the same
network, saving
precious internet
bandwidth



Remote video access


When accessing footage
remotely, video streams
automatically via cloud
proxy

Simplifying security



Encryption by Default:

- ✓ Video at Rest
- ✓ Video During Transport
- ✓ Management Data



MV cameras are only accessible through Dashboard or Meraki Vision Portal, both via HTTPS

Cameras automatically obtain, provision and renew a publicly-signed SSL certificate

Certificate encrypts footage in transit from camera to the user

Cisco Trustworthy Solutions

Security features that ensure the Meraki platform is tamper-proof



TRUST ANCHOR

A tamper-resistant chip in Cisco products that provides secure storage and crypto services.



SECURE BOOT

Ensures code in hardware is authentic while protecting Cisco devices from non-compliant software.



IMAGE SIGNING

Creates a unique digital signature and encryption for code using a Cisco private key.





RUNTIME DEFENSES

Makes it impossible for attackers to exploit running software by targeting malicious code running in software.


Transitioning to a Meraki architecture


Option 1: Use both systems simultaneously



Transitioning to a Meraki architecture

Option 2: Stream video from MV to existing system using RTSP





cisco Meraki

CISCO MERAKI MV SMART CAMERA HIGH LEVEL ARCHITECTURE

FLOW EXAMPLES: CLOUD PROXY, DIRECT STREAMING, MERAKI MOBILE APP, MERAKI DISPLAY, EXTERNAL RTSP

CISCO Live!

Meraki MV **smart** camera portfolio



Meraki MV smart cameras

Fixed lens mini-dome

Flex

Fisheye 360°

Varifocal dome

Telephoto bullet

MV12W MV12N

114° FoV

Up to 1080p video

128-256GB storage

MV63 MV63X

102° FoV

Up to 4K video

1TB storage



Meraki MV smart cameras

Fixed lens mini-dome

Flex

Fisheye 360°

Varifocal dome

Telephoto bullet

MV2

103° FoV

Up to 1080p video

No on-camera storage



Meraki MV smart cameras

Fixed lens mini-dome

Flex

Fisheye 360°

Varifocal dome

Telephoto bullet

MV32

180° FoV

Up to 2112x2112 video

256GB storage

MV93 MV93X

180° FoV

Up to 2880x2880 video

1TB storage



Meraki MV smart cameras

Fixed lens mini-dome

Flex

Fisheye 360°

Varifocal dome

Telephoto bullet

MV22 MV22X

36-112° FoV

Up to 4MP video

512GB storage

MV72 MV72X

36-112° FoV

Up to 4MP video

512GB storage



Meraki MV smart cameras

Fixed lens mini-dome

Flex

Fisheye 360°

Varifocal dome

Telephoto bullet

MV52

12-37° FoV

Up to 4K video


1TB storage



The Meraki Dashboard

Use it for:


- Deploying and configuring new cameras
- Managing and monitoring cameras
- Troubleshooting cameras
- Reviewing camera analytics



The Meraki Vision portal

Use it for:

- Monitoring camera feeds
- Investigating incidents
- Exporting video



The Meraki mobile app

Use it for:

- Deploying new cameras
- Monitoring camera feeds
- Investigating incidents
- Exporting video



Meraki Display

Use it for:

- Dedicated 24/7 live monitoring
- A public video viewing monitor



Demo

- Cable Test (Dashboard)
- Event Search (Vision Portal)

A screenshot of the Cisco Meraki web interface, specifically the 'Cameras' section. The interface has a green header with the Cisco Meraki logo. On the left is a sidebar with navigation options: Global Overview, Organization (Cisco Meraki Legacy), Network (Cisco Meraki Net), Network-wide, Security & SD-WAN, Switching, Wireless, Systems Manager, Cameras (highlighted), Sensors, Insight, and Organization. The main content area is titled 'Cameras' with a 'Last day' filter. It shows two summary boxes: '0 Offline' and '0 Alerting'. Below these is a table of cameras with columns for Status, Name, Connectivity, Local IP, and MAC address. All cameras listed have a status of 'Online' (green checkmark) and a green connectivity bar. The cameras are: Street, Front Door, Garage, Back Door, Rear, Office, Gym, and Street Telephoto.

	Status	Name	Connectivity	Local IP	MAC address
☐	✓	Street	<div></div>	192.168.150.123	a8:46:9d:00:65:1
☐	✓	Front Door	<div></div>	192.168.150.102	2c:3f:0b:00:4b:1
☐	✓	Garage	<div></div>	192.168.150.61	ac:17:c8:62:0b:4
☐	✓	Back Door	<div></div>	192.168.150.63	34:56:fe:a4:06:c
☐	✓	Rear	<div></div>	192.168.150.99	68:3a:1e:ff:c6:eb
☐	✓	Office	<div></div>	192.168.150.121	a8:46:9d:00:6b:5
☐	✓	Gym	<div></div>	192.168.120.249	a8:46:9d:bd:fe:fe
☐	✓	Street Telephoto	<div></div>	192.168.150.127	a8:46:9d:c4:e0:c

But wait there is
more



Built-in analytics

Use people and vehicle detection, office occupancy, and audio analytics for a variety of use cases.

- Customer **behaviour patterns**
- **Staffing** needs or **queue** wait times
- Conference and meeting room **occupancy**
- Long-term **facilities planning**
- **Alarm system** or **access control** integration



MV Sense **video analytics**

Access rich data collected by MV smart cameras to help deliver bespoke outcomes to support almost any use case.

- Access **video analytics** insights from the cameras using open APIs
- Use MV machine-learning computer vision outputs **without additional software** or infrastructure
- Enable **ecosystem technology partners** to offer amazing solutions for any business



**Cisco Meraki MV Smart Camera**

Security Incident Detected

Date/Time: Mon Oct 4 10:57:36 2021

Organization: Cisco Meraki Labs

Network: Computer Vision Lab

Camera: Cisco Meraki MV12WE



Interesting Objects: Object 1: Sitting Confidence: 98.87
Object 2: Person Confidence: 98.87
Object 3: Human Confidence: 98.87
Object 4: Clothing Confidence: 96.48
Object 5: Apparel Confidence: 96.48

Facial Analysis: Face 1: Gender: Male Age: 26-42
Sentiment: Happy

Text Detections (ALPR): Text 1: M3R4K1
Text 2: VIC

[Learn More: Cisco Meraki Smart Cameras](#)


[Review Footage](#)



VIDEO FRAME



ON-CAMERA PROCESSING




THIRD-PARTY APPLICATIONS

MV Sense Custom CV


Simplifying and securing access to customised computer vision use cases.

Enables organisations to use [video analytics](#) to address a wide variety of outcomes, including:

- Automating quality control to [reduce waste](#)
- Improving warehouse [efficiency](#)
- Increasing [safety](#) and compliance






Smart cameras designed for creativity



Demo

- MV Provisioning (Dashboard API)
- Process Automation (Dashboard API)
- Custom Computer Vision (Dashboard/Cogniac)



Transformative results with cloud

43%

ROI within 3 years, with a payback period of just 10 months

75%

Savings on maintenance costs. Reduced time spent configuring, maintaining, & updating cameras

60%

Reduction of video storage costs

98%

Time savings to access and share footage

30%

Reduced energy costs with less hardware needed compared to legacy solutions

Source: [The Total Economic Impact of Meraki MV Smart Cameras](#)

Meraki MT Sensors



Meraki MT Sensors

Build a more resilient sustainable future with Cisco
Meraki MT Sensors




Three paths to smarter, more efficient operations



INFRASTRUCTURE MONITORING

Reduce unplanned downtime and extend equipment lifespan by monitoring temperature, moisture, and access to network closets and data centers.



ENERGY AND SUSTAINABILITY

Monitor power usage and energy waste to accelerate sustainability initiatives. Integrate and automate HVAC systems according to ASHRAE standards to reduce energy usage.



INDOOR AIR QUALITY

Protect employees, students, and guests with comprehensive air quality and environmental monitoring solutions securely connected to the network.

Sensors for every space



Promote healthy, focused indoor spaces

A focus on **health**:

- Overall indoor air quality
- Carbon dioxide levels (CO2)
- Total volatile organic compounds (TVOCs)
- Particulate matter, 2.5µm diameter
- Vape fumes indication

Proactively manage **comfort**:

- Temperature and humidity
- Ambient noise levels



Introducing the MT15


Indoor air quality and carbon dioxide sensor

- Proactively measure indoor air quality (IAQ), including CO₂, temperature, organic compounds, and particulate matter.
- Promote visibly healthy spaces with a highly visible LED indicator
- Quick, easy, tamper-resistant installation in any indoor space



Demo

- MT15 Insights (Dashboard)





Did you know?

You can have a
one-on-one session with
a technical expert!

Visit Meet the Expert in The HUB
to meet, greet, whiteboard & gain
insights about your unique questions
with the best of the best.



Meet the Expert Opening Hours:

Tuesday	3:00pm – 7:00pm
Wednesday	11:15am – 7:00pm
Thursday	9:30am – 4:00pm
Friday	10:30am – 1:30pm

Session Surveys

We would love to know your feedback on this session!

- Complete a minimum of four session surveys and the overall event surveys to claim a Cisco Live T-Shirt



Continue your education



- Visit the Cisco Showcase for related demos
- Book your one-on-one Meet the Expert meeting
- Attend the interactive education with DevNet, Capture the Flag, and Walk-in Labs
- Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand



The bridge to possible

Thank you

CISCO *Live!*

#CiscoLiveAPJC

The Cisco Live! logo, featuring the word "CISCO" in a dark blue, sans-serif font, followed by "Live!" in a dark blue, cursive script font.

CISCO *Live!*

The text "Let's go" in a dark blue, sans-serif font, positioned to the left of a bright, multi-colored sunburst graphic that radiates from the right side of the image.

Let's go

#CiscoLiveAPJC