

CISCO *Live!*

GO BEYOND

#CiscoLiveAPJC



Build Scalable Data-Driven Networks Using Splunk for Service Providers

Raman Jain – Principal Splunk Solution Architect

BRKSPG-2589



#CiscoLiveAPJC

Cisco Webex App

Questions?

Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click “Join the Discussion”
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until November 15, 2024.



<https://ciscolive.ciscoevents.com/ciscolivebot/#BRKSPG-2589>




Agenda

- Splunk scalable data platform
- Evolution of network monitoring
- Data-Driven networking use cases
- How service providers are using it – AI Driven Closed Loop Automation
- Takeaway – Splunk guide for CSPs

Splunk Platform Recap




Introducing Splunk Platform




Scalable Index

What: Any and All Data



Index Any and All streaming, machine, and historical data

How: Point it at a Source



Point Splunk at a data source—tell it a bit about the source—that source becomes a data input

Then: Turn Source into Stream of Events



Splunk indexes the data stream and transforms it into a series of events—you can view and search those events right away

Search and Visualisation

Use Search Process Language (SPL) to search and investigate your data across cloud or on prem deployments to find the needle in your haystack



✓ Search Any Data Source

✓ With Schema-on-the-Fly you can search any data source regardless of structure and across cloud or on prem deployment




✓ Train and apply ML

✓ Identify outliers, predict, classify, and forecast



✓ Visualise and Save Dashboards




✓ Add visualisations and save as dashboards



✓ Create Ad Hoc Alerts & Automate

✓ Create ad hoc alerts when you discover new issues or threats

Reporting & Visualisations



Visualise Any Data

- Open framework to create or customise any visual
- Visuals shared via Splunkbase library
- Available for any use: search, dashboards, reports
- Visuals for IT, security, IoT and business analytics

Industrial IoT Hub Data Integrations

• Complete Industrial IoT Solution Offering

1 IoT Hub Built-in Sensors

Light

High sensitivity light sensor

Temperature

($\pm 0.2^{\circ}\text{C}$ from 0°C to 90°C , IP67 rated membrane

Humidity

($\pm 2\%$ from 0°C to 90°C)

Sound

Microphone - See Vesper VM1000 Spec Sheet

Vibration

3-Axis Accelerometer - See Bosch BMA456

Gyroscope

6-Axis Gyro & Accelerometer - See TDK ICM20600

Optional : Pressure, VOC w/ Gas Analysis

(300...1100 hPa) ± 0.12 hPa for Pressure,
< 1s response with IAQ Score Output for Gas



IoT Edge Hub



Service as IoT / Sensor Gateway

Supported Wireless



Wireless Telco / Private
4G/5G Network

Internal 5G Modem /w esim

Splunk Input



Kepware /
Advantech

Supported TCP/IP



3 Existing Industrial Control Systems

PLCs / RTUs

Programmable Logic Controls, Remote Terminal Units

OPC Servers

Industrial Control system statistical acquisition

SCADAs / HMIs

ICS control / management applications

Historians


Manufacturing statistical database

SPCs

Statistical Process Control applications



Wireless Sensors




Wired
Sensors

2 External Sensors



Splunk Data Management Experience



Evolution of Network Monitoring





Performance is slow,
there must be an issue
with the network!

Lack of Visibility in the Networking Stack

38%* Inability to Identify Network Performance Issues


64% Administrators lack confidence in visibility of their security posture

6:10 Organisations lack confidence in the state of their security posture due to their visibility

Source: <https://www.liveaction.com/resources/blog-post/2019-top-network-performance-challenges/>




Evolution of Network Monitoring



CSP NOC Maturity Model Example

Transforming from NOC to SOC (Service Operation Center)

CAPABILITY MATURITY MODEL



SNMP Traps
SNMP Polling
Syslog
Configs
Perf Counters

Platform Health Monitoring and Alerting

Auto-ticketing

Example

Streaming Telemetry

AI-driven Adaptive Response

Closed-Loop Automation

Service Mapping


Service Monitoring w/ Cross-platform and cross-layer correlation

Transactional Records
(e.g. xDRs, SIP, RTCP, Diameter, Flow),
Registrations, Licensing)


Active Monitoring
Service SLAs (e.g. Video, Voice, Data)

CISCO Live!


Data Driven Network Monitoring




Data-Driven Network Monitoring for Faster Detection, Investigation and Response



Data-Driven Networking Use Cases



Network Monitoring – Data Sources



CISCO Live!


Cisco Network Framework w/Splunk

Method of Transport:


- Syslog (UDP / TCP)
- API (REST / XML)

Integration Tools:

- [Syslog Connect for Splunk](#)
- [Postman API](#)
- [NetConf & REST Conf API](#)



Network Monitoring Apps



Cisco and General Network Apps


- [Cisco Networks App](#)
- [Cisco ThousandEyes Alerting App](#)
- [Cisco ThousandEyes Add-on for Splunk](#)
- [Cisco Catalyst SD-WAN App for Splunk](#)
- [Cisco Catalyst SD-WAN Add-on for Splunk](#)
- [Cisco UCM CDR Reporting & Analytics](#)
- [Cisco ACI App](#)
- [Cisco Nexus 9K App](#)
- [Cisco Identity Services](#)
- [Cisco UCS](#)
- [Cisco Endpoint Security Analytics \(CESA\)](#)
- [Cisco Network Assurance Engine \(NAE\)](#)
- [Splunk App for Stream](#)
- [Splunk Add-on for Infoblox](#)
- [Network Diagram Viz](#)
- [Splunk Connect for Syslog](#)

Cisco Networks App for Splunk

Splunkbase App

Analyse data from Cisco Switches & Routers (Cisco IOS, IOS XE, IOS XR and NX-OS devices), WLAN Controllers and Access Points, using Splunk® Enterprise & Splunk® Cloud.

- Cisco Catalyst series switches (2960, 3650, 3750, 4500, 6500, 6800, 7600 etc.)
- Cisco ASR - Aggregation Services Routers (900, 1000, 5000, 9000 etc.)
- Cisco ISR - Integrated Services Routers (800, 1900, 2900, 3900, 4451 etc.)
- Cisco Nexus Data Center switches (1000V, 2000, 3000, 4000, 5000, 6000, 7000, 9000 etc.)
- Cisco Carrier Routing System
- Other Cisco IOS based devices (Metro Ethernet, Industrial Ethernet, Blade Switches, Connected Grid etc.)
- Cisco Access Points
- Cisco WLC - WLAN Controller




Cisco Networks Overview Application


Investigate faster

Save time while
addressing threats more
rapidly

Supported Technologies:
Cisco IOS, IOS-XE, NX-
OS, IOS XR devices, WLC



Cisco Prime Infrastructure Dashboard




Cisco Endpoint Security Analytics (CESA)


Improved visibility

Correlation of user and endpoint behavior


Faster detection into behavior on/off the network



Cisco Secure Networks Analytics Dashboard



Cisco Umbrella Dashboard




Cisco UC Monitoring

Monitor Call Quality

Diagnose Issues with Call Quality Faster

Improved Visibility into UC Performance & Potential Impacts



Data Collection Examples

- Dedicated Syslog Server
 - [Data Collection Guide](#)
- Syslog Collection Application
 - [Splunk Connect for Syslog](#)
- Define Port Collections based on the Data Source




Additional Communication Service Providers Use Cases



Splunk Use Cases

Serving use cases in the following areas



50 Ways Telcos Drive Business Value With Splunk



splunk >
turn data into doing™

SERVICE ASSURANCE

- [Order to Activation](#)
- [Contact Center Analytics](#)
- [CPE Monitoring](#)
- [Mobile Application Health](#)
- [Field Services Performance Optimization](#)
- [Emergency Services Monitoring](#)
- [Video Performance Monitoring](#)
- [Content Delivery Network Performance](#)
- [Enterprise Service Assurance](#)
- [Radio Access Network Monitoring](#)
- [IMS Core and VoLTE Monitoring](#)
- [Broadband Service Optimization](#)

OPERATIONAL EXCELLENCE

- [Enterprise Data Platform](#)
- [Enterprise Network Nerve Center](#)
- [Enterprise Security Nerve Center](#)
- [Managed Security Services](#)
- [Hybrid Cloud Monitoring](#)
- [Network Function Virtualization](#)
- [SDN and SD-WAN](#)
- [Core Network Monitoring](#)
- [Carrier Media Gateway Performance Monitoring](#)
- [DevOps Monitoring and Capacity Management](#)
- [Wireline Data Capture](#)
- [Network Access Monitoring](#)
- [Government Hosted Solutions](#)

REVENUE ASSURANCE

- [Churn Prediction](#)
- [Truck Dispatch Analytics](#)
- [Video Subscriber Analytics](#)
- [Reducing SLA Violations](#)
- [Real-Time Vulnerability Management](#)
- [Roaming Fraud Detection](#)
- [PBX/IP-PBX Fraud Mitigation](#)
- [Subscriber Fraud Protection](#)
- [Subscriber Endpoint Security](#)
- [Automated Compliance Reporting](#)
- [Data Center ICS Monitoring](#)
- [Outage Impact](#)
- [Voice/VoIP Revenue Assurance](#)
- [Prepaid Billing Account Analysis](#)
- [License Exhaustion Prediction](#)
- [Real-Time Service Reporting](#)
- [Least Cost Routing Optimization](#)

IMAGINE THE POSSIBILITIES


- [Data Integrity with Blockchain](#)
- [Mobile Banking/Mobile Payments](#)
- [5G Service Excellence](#)
- [Targeted Advertising with Small Cell](#)
- [Closed Loop Service Remediation](#)
- [Connected Experiences](#)
- [Customer 360](#)
- [Micro Weather Forecasting](#)

[Download eBook](#)




CISCO *Live!*

RAN Data Monitoring




4G/5G KPIs Monitoring – Geo Based Visual



Outage Impact Dashboard

Polygon contained impact consolidation




Where are CSPs heading?

“AI Driven Closed Loop Automation”



Model Driven / Streaming Telemetry



Migrating from SNMP to gRPC Dial-Out Telemetry

What is the expected increase in CPU/Memory when using the gRPC Dial-Out telemetry interface, compared to SNMP ?

gRPC adds 2% for each telemetry collector.
SNMP adds 6% and an additional 4% for each collector

Testbed:

Ubuntu Linux
Telegraf
SNMP + gRPC

- **health:** CPU utilization, memory, uptime and
- **optics:** RX/TX power levels for transceiver
- **if-stats:** interface counters (RX/TX bytes,
- **routing:** a big number of different counter

Key Points

- Alternative to SNMP
- Different from Open Telemetry
- [OpenConfig](#) project
- [RFC 9232](#)


References:

[Cisco Presentation on Benefits of Streaming Telemetry - Feb '24](#)


[Cisco Catalyst 9300 Doc on sending Model-Driven Telemetry to Splunk and other tools](#)

cisco Live!

Machine Learning – Detect Anomalies




After few iterations, false positives stabilised within a range of **0.5 to 1%**, which significantly reduced the number of alarms and improved detection and resolution time.



Towards AIOps for Autonomous Networks

ITSI application


KPIs propagation
across (sub)services
and entities




Towards AIOps for Autonomous Networks

ITSI application


*Predictive analytics
for service KPIs



* Tsetet but not included in demo; suggested for later stage when key KPI is selected
https://lantern.splunk.com/Observability/Getting_Started/Working_with_machine_learning_in_ITSI




Towards AIOps for Autonomous Networks



Smart Mode in IT Service Intelligence (ITSI) uses machine learning algorithms to **group notable events into episodes based on their similarities**.

Smart Mode compares event field values and **groups events that are related to each other**. It **reduces noise** and detects patterns in your events.



<https://docs.splunk.com/Documentation/ITSI/4.19.0/EA/SmartMode>

Call to action

- Find out how many single-pane of glasses you currently have in your environment and identify how much time you spend reviewing each dashboard?
- Identify who's making decisions on your infrastructure. Do they have all of the information to make an informative decision and are their decisions effective?
- Create an enterprise logging infrastructure (syslog servers / netflow collectors.)
- Review at least 2-3 data sources for collection & identify the metrics you want to monitor.
- Develop alerts & reports to improve visibility & response.



Complete Your Session Evaluations



Complete a minimum of 4 session surveys and the Overall Event Survey to claim a **Cisco Live T-Shirt**.



Complete your surveys in the **Cisco Live mobile app**.



Continue your education



- Visit the Cisco Stand for related demos
- Book your one-on-one Meet the Expert meeting
- Attend the interactive education with DevNet, Capture the Flag, and Walk-in Labs
- Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand



Thank you

CISCO *Live!*

#CiscoLiveAPJC

CISCO *Live!*

GO BEYOND

#CiscoLiveAPJC