

Creating Proactive Customer Journeys

cisco Live !

Purvi Bajaj
Solutions Engineer

Session ID: BRKCCT-2559

Cisco Webex App

Questions?

Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click “Join the Discussion”
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until 14 November 2025.



<https://ciscolive.ciscoevents.com/ciscolivebot/#BRKCCT-2559>

Agenda

- 01 Use Cases
- 02 Best Practices
- 03 Let's use our voice!
- 04 Or Maybe Chat
- 05 I love Questions!!

Outbound campaigns

“Redefining proactive engagement”

Customer engagement




Improving the **Customer Experience (CX)** through proactive omnichannel engagement solutions that align with business objectives and value customer privacy

Employee engagement




Augmenting **employee satisfaction and productivity** by streamlining Communication Enabled Business Process (CEBP) adoption within an enterprise

Machine engagement



Enabling autonomous business processes for **optimizing the cost-of-service delivery** and improving CX through robotic process automation and proactive engagement with minimal human intervention

Webex Customer Experience



Outbound customer engagement

Industry challenges

- Lead prioritization in real time and business goal alignment
- Nonintrusive customer proactive engagement
- Cost of service delivery vs. user experience – need for robotic process automation and communication-enabled business processes
- Resource optimization and agent productivity improvements
- Adherence to the growing federal and regional compliance regime



Use Cases

Reasons for Outbound



Sales Calls
for
customer
Acquisition




Proactive
Customer
Service



Debt
Collection



Contract
renewals



Cross Sell &
Up Sell




Customer
Satisfaction
Survey




Security
Alerts

Actionable Reminder


An actionable reminder is initiated




Patient life cycle



Use Case – For Collections



Use cases across Customer Life Cycle



Use Cases

Call Deflection

Appointment Management

Payment Reminders & Collections

Utilities

- Meter Readings
- Engineer Visits
- Virtual Appointments
- Billing Statements
- Connect Home Alerts

Finance

- Fraud Mitigation
- Paperless Statements
- Payment Confirmation
- Balance Alerts
- Suspicious Transactions
- Credit Card Increase

Travel

- Virtual Concierge
- Service Upsell
- Travel Disruptions
- Personalised Marketing
- Conversational Sales
- Luggage Alerts

Education

- Emergency alerts
- Tour scheduling
- Tuition alerts & payments
- Student services engagement
- Recruitment & alumni campaigns

Retail

- Conversational Marketing
- Abandoned Baskets
- Order Inquiries
- Delivery Notifications
- Personalised Marketing
- Click and Collect Alerts


Public Sector

- Healthcare Comms
- Police: Non-emergency
- Tax Payments
- Housing – Rent collections
- Vaccinations
- Virtual Healthcare Appointments





The background of the slide is an abstract design featuring flowing, wavy lines in various shades of blue and white. A large, white rectangular box is positioned on the left side of the slide, serving as a backdrop for the main text.

Let's Converse about Conversing!

Outbound Jargon




Dialing modes

	Preview dialing	Progressive dialing	Predictive dialing	Agent-less
Dial by	Agent	Machine	Machine	Machine
Overdial	No	Opt.	Yes (Calculated by Algorithm)	No
Preview	Before dialing	While dialing	No (Delivered along with customer call transfer)	No
<div><div>Time</div><div></div></div>				
Productivity	Good	Better	Best	Better
Compliance	n/r	Required	Required	Required

Outbound Campaign Features

Outbound campaign starts with a Contact list, and Webex Contact Center Outbound Campaign Management support the following:



Best Practices

Best Practices

Dial smarter, not harder

– preview for precision,
predictive for
performance.

Modes of
dialling

Personalize
&
contextualize

Because you're **not**
'User123' – you're *you*,
and we get that.

Because good timing
isn't luck, it's
strategy with style.

Relevant &
Right time

Right
Channel

We don't shout in
emails or whisper in
alerts – just **smart**
channel sense.

No imposters allowed –
we keep it real with
verified digits and legit
flows

Secure and
Authentic

How do you
want to
Report

Reports that know
their audience –
because **relevance is**
the real ROI.

Optimize outbound campaigns

Unify and personalize contact strategy across multiple customer contact points

Automate business process enablement by integrating with back-office processes

Implement statutory **compliance**, including **do-not-call** and state/time zone-specific calling window

Improve customer communication effectiveness with list prioritization and segmentation and business rules-driven targeted campaigns




Campaign Management


New add-on

Webex Campaign Management for Webex Contact Center

Administrations and supervisors can now effortlessly configure, manage, and optimize outbound voice campaigns




Rapidly build scalable, compliant outbound voice campaigns




Build campaigns on a single canvas

Build




Save time with easy configuration

Configure



Define campaign rules and attempt strategies


Strategize



Leverage multiple dialling modes


Deploy

Step 1: Configure the Campaign



Step 2.1: Configure Outbound Campaign Manager

Typical Steps



CLMeL Training
CC VOICE_17594810

Until Feb 202

Pacing
Mode

Sta
Dia



Dialing mode dependent parameters: Predictive mode

Dial rate (1-10) *	<input type="text" value="1"/>
No answer ring limit (16-80) *	<input type="text" value="32"/>
Max dialing rate (1-10) *	<input type="text" value="2"/>
Abandon rate percentage (1.0-100) *	<input type="text" value="3"/>
Predictive correction pace (10-5000) *	<input type="text" value="70"/>
Predictive gain (0.1-3.0) *	<input type="text" value="1"/>
Reservation percentage (0-100) *	<input type="text" value="100"/>

Save Cancel

Abandon
Rate %

% Agents
to be
reserved

Dialer configuration

Control Hub channel *

Techsummit_EP

Outdial ANI

+1262351

Dialing mode *

Predictive

CPA parameters ⓘ ✓ Edit

Dialing-mode dependent parameters * Configure

Note: We have pre values. You can e requirements.

of contac


push(max 400)

100


Save changes

Step 2.2: Configure Outbound Campaign Manager

Typical Steps




The nodes marked with ☆ are part of the 'Advanced Campaign' feature-set.
Until Feb 2026, contact attempts processed through 'Advanced campaigns' will be charged at the lower rate for 'Basic campaigns'.



Save changes

Step 2.3: Configure Outbound Campaign Manager

Typical Steps





Campaign group list

Create campaign group

Showing 1 of 1

Purpose :

Select purpose

Created by :

sacheetestrtmsus

Search by campaign group, reference ID


1 Filters applied

Campaign group name	Campaigns	Reference ID	Created by	Created date	
<div><div></div><div>Collection_Campaign_Group</div><div>Voice</div></div>	4	-	sacheetestrtmsus	Jul 02, 2025	<div></div>



Step 2.4: Configure Outbound Campaign Manager

Typical Steps





Collection_Campaign_Group

Auto_Loans_collection_campaign *You last saved 0 Minutes ago*

Save & exit



Suppression rule sets



Suppression rules not required

Suppression rule sets *

2 Selected



Note: Maximim of 10 suppression rule sets are allowed per campaign.



Bank_XYZ_Corporate_Suppr
ession_Ruleset_2



Federal_FDCPA_Suppressio
n_Ruleset_1



1. Federal_FDCPA_RegulationF_Rule_1_ti
ming_window
2. Federal_FDCPA_RegulationF_Rule_2_C
ontact_attempt_frequency
3. Federal_FDCPA_RegulationF_Rule_3_te
lephone_conversation_frequency
4. Timing_bet_10_to_20_hrs

Save changes

The nodes marked with ☆ are part of the 'Advanced Campaign' feature-set.
Until Oct 2025, contact attempts processed through 'Advanced campaigns' will be charged at the lower rate for 'Basic campaigns'.




100%



Step 2.5: Configure Outbound Campaign Manager

Typical Steps





Campaign group details

Create campaign

Campaign group	Created on	Total campaigns	Completed	Pending	Running	Paused	Notifications
Collection_Campaign_Group	Jul 2, 2025	4	0	0	0	1	sacheetestrtmsus@wbxlab.us
Business stakeholder	Created by	Drafts	Stopped				
	sacheetestrtmsus	3	0				


Voice campaigns

Manage voice campaigns and contact lists of the campaigns.

[Refresh](#) Last refreshed: Sep 25, 2025 17:09

Showing 4 of 4				Campaign status		4 Selected	Created by	All	Search	5 Filters applied	
Campaign name	Dialing mode	Duration	Time range	Processed	Valid	Sent to dialer - awaiting outcome	Fresh	Open	Closed	Blocked	Status
Mortgage_collection_campaign	Progressive	Jul 02, 2025 No end date	00:10 - 23:59	340	340	0	21	0	0	0	Paused
Auto_Loans_collection_campaign	Standard preview	Jul 09, 2025 No end date	08:00 - 19:00	1,000	1,000	0	0	0	0	0	Draft
CC_VOICE_1752078476809	Standard preview	-									Draft
CC_VOICE_1755539737979	Predictive	Aug 19, 2025 No end date	09:00 - 20:00								Draft

Cisco Outbound Campaign Suite



Proactive outreach from businesses is something we all experience



Your appointment is coming up!

12:27



Alert: Suspicious activity on your account!



Routine maintenance, service may be affected



Your flight is departing, head to the Gate.

12:27



Enjoy 20% off your next purchase !



Your policy is up for renewal in next 60 days.

Managing customer interactions is increasingly complex for enterprises



We make it simple!



75% of consumers are frustrated when they can't respond directly to a brand's message



← ↻ 🏠 https://dev294932.service-now.com/now/nav/ui/classic/params/target/sys_user.do%3Fsys_id%3D67163807c33be210f9a3f64d050131d7%26sysparm_record_target%3Dsys_user%26syspar... A ☆ ⋮

servicenow All Favorites History Workspaces Admin **User - User1 Test** ☆ 🔍 Search 🌐 🔄 📧 ⌚ 📞 🔔

⏪ ≡ User User1 Test ⌘ ⚙️ ⋮ Update Set Password Delete

EID	<input type="text" value="01009"/>	Email	<input type="text" value="rohit@simcomm.com"/>
User ID	<input type="text" value="User1"/>	Language	<input type="text" value="-- None --"/>
First name	<input type="text" value="User1"/>	Calendar integration	<input type="text" value="Outlook"/>
Last name	<input type="text" value="Test"/>	Time zone	<input type="text" value="System (America/Los_Angeles)"/>
Title	<input type="text"/>	Date format	<input type="text" value="System (yyyy-MM-dd)"/>
Department	<input type="text"/>	Business phone	<input type="text"/>
		Mobile phone	<input type="text"/>
		Photo	Click to add...

Password needs reset ☐


Locked out ☒

Active ☒

Web service access only ☐

Internal Integration User ☐

Update Set Password Delete



Digital Identity API's

Network Identity



Identifies if the network of the mobile number

SIM Swap



Returns the date and timestamp of the last SIM Swap for a mobile number, to help identify fraudulent activity. A recent SIM Change may signal an account takeover.

Call Divert



Verifies whether an outbound call to a customer's mobile number has been forwarded or not. It may have been diverted to a fraudster's mobile number.

Account Takeover

SIM Swap
Call Divert
Device Change

Also known as Enhanced SIM Swap.

Not only does ATP return SIM Swap and Call Divert information, but it also returns a date and timestamp when the device last changed for a mobile number. Another fraud indicator.

KYC match



Know Your Customer: When onboarding new customers, check if the data submitted (mobile number, name, address, DOB) matches the verified data in MNO's database.

Number Verify



Confirms if the customer's known mobile number matches the one seen in either the mobile web or App session. This proves 'possession', instead of an OTP via SMS which is susceptible to social engineering.

NOTE: Not all API's are cross network, the representative list above are all available on EE

Digital Identity API's

Age Eligibility



Age Eligibility

A check against our database that provides a true/false response to confirm if a customer is over a configurable age.
E.g. 21 years' old.

Number Recycle



Number Recycle

Determine if a mobile number has been recycled, and if so, the timestamp that the mobile number was last deactivated. A deactivated mobile number will go through a recycle process to be cleansed and will be re-allocated to a new End User.

IMEI Lookup



IMEI Lookup

Provides the device ID (IMEI) associated with the mobile number. Does that IMEI belong to the latest iPhone or a burner phone?

Home Network



Home Network

Provides a true or false response as to whether the specified mobile number is on their Home Network at the time of the API call, or if the device is roaming.

Tenure (testing)



Tenure

Submit a date along with a mobile number and get a True/False response as to whether the MNO has known that customer for that amount of time. E.g. 90 days.

Scam Signals (build)



Scam Signals

This could help identify customers who are being socially engineered, confirming if a customer is on an active call, the direction of the call (inbound or outbound) and if the call duration has exceeded a configurable timespan.



At Home
Location

Yes

ServiceNow User Management Interface

User - User1 Test

EID: 01009

User ID: User1

First name: User1

Last name: Test

Title:

Department:

Password needs reset: ☐

Locked out: ☒ (highlighted with a pink oval)

Active: ☒

Web service access only: ☐

Internal Integration User: ☐

Email: rohit@simcomm.com

Language: -- None --

Calendar integration: Outlook

Time zone: System (America/Los_Angeles)

Date format: System (yyyy-MM-dd)

Business phone:

Mobile phone:

Photo: Click to add...

Mute

End call

At Home
Location

NO

The screenshot displays the Webex Contact Center interface. At the top, the browser address bar shows the URL `https://desktop.wxcc-us1.cisco.com/task/cdeaf0b6-6736-4f27-b454-bf9923d7748d`. The interface includes a top navigation bar with the Webex logo and the text "Webex Contact Center". Below this, a call header shows the phone number **+919739700494** and a timer at 00:10. A row of action buttons includes Keypad, Mute, Hold, Consult, Transfer, Pause Recording, and End. The main content area displays call details: Phone Number (+919739700494), Queue (pubajaj_Queue), DNIS (+19208062284), and Employee Number. A "Live Transcript" button is highlighted with a blue box and a tooltip. Below this, a tabbed interface shows "Customer Journey", "Contact History", and "Live Transcript". The "Live Transcript" tab is active, showing a large, faint, stylized signature. At the bottom of the transcript area, a message states: "Live transcription isn't available for this call." On the right side, a "Cisco AI Assistant" panel is visible, featuring a "Get suggestions" button and text: "I'm here to help! I'll keep listening and suggest responses as the conversation evolves." Below this, it lists "Listening for information" and provides a prompt: "Add context to refine suggestions".

Webhook triggered workflow

Provides ability to define API endpoint

Opens options for Workflow definitions

Also provides endpoint for 3rd party business systems

 **Configure Webhook**

Configuration **Transition Actions (Optional)**

Configure webhook settings to trigger this flow

☐ Select existing webhook ☒ Create new event

<  Webhook URL

`https://hooks.au.webexconnect.io/events/PBTJFAXF8D`

We've generated a new endpoint for you to send requests. [Learn more about using webhooks.](#)

Name ⓘ

BinDelivery

☐ Service key or JWT needs to be passed in request header if this option is selected

☐ Validate signature

Connect can validate JSON signatures generated using SHA256 or SHA512 passed in the header. Invalid request will return an error

Example Data

Paste Json **Paste XML** **Send Via Hook**

PROVIDE SAMPLE INPUT ⓘ

```
1 {
2   "name": "Shaun",
3   "number": "61431155901",
4   "binDate": "Friday the 8th of July",
5   "address": "101 Collins Street, Melbourne",
6   "binType": "3m cubic streetside"
7 }
```

SELECT OUTPUT VARIABLES ⓘ

PARSED VARIABLES(5)

number:61431155901

address:101 Collins Street, Melbourne

binType:3m cubic streetside

name:Shaun

binDate:Friday the 8th of July

Parse

Event Scheduler

- Allows scheduled execution of a flow.
- Flow data can be fed by CSV or via S3 bucket.

The screenshot displays the Cisco WebexCC Demo Service PRODUCTION interface. The top navigation bar includes tabs for Dashboard, Flows, Rules, API, and Settings. The main content area is divided into two sections: a Flow Builder on the left and a list of flows on the right. The Flow Builder section contains a description of the flow builder and a 'Create Flow' button. The list of flows section shows a table with columns for Trigger, Flow, Status, State, Executions, and Actions. A blue box highlights the App Tray in the bottom left corner, which contains the Event Scheduler and Bot Builder apps.

Services - WebexCC Demo Service PRODUCTION
Used for production demo services not for experimental services

Dashboard Flows Rules API Settings

Flow Builder

Flow builder is a visual designer with a library of nodes that you can drag and drop to create and test interactive customer journeys with little to no code.

[Check out our guide to building flows here.](#)

If you've got more questions after reading through it, just ask. We're always here to help.

Create Flow

Q servicereimderlive Sort By Newest Create Flow

Flow execution data shown below is for last 30 days


Trigger	Flow	Status	State	Executions	Actions
	ServiceReminderLive Flow Id:2357	Live	☒	0	☐

App Tray


Event Scheduler

Bot Builder

Flow of Events!



Proactive Journeys - Anticipatory Experiences




Roadmap

Roadmap:

Campaign specific wrap up codes and telephony outcomes


Configure different retry behavior for different use cases for the same wrap-up code and same telephony outcome



Roadmap:

APIs for managing contact lists


You can fully automate contact list creation, contact creation, and contact status updates.



Roadmap:

Advanced scheduling options

- Configure different start/end times and time windows per day.
- Allow multiple shifts within the same day.
- Support unique weekly schedules per campaign.





I know Kung Fu!

Complete your session evaluations



Complete a minimum of 4 session surveys and the Overall Event Survey to claim a Cisco Live T-Shirt.



Earn up to 800 points by completing all surveys and climb the Cisco Live Challenge leaderboard.



Level up and earn exclusive prizes!



Complete your surveys in the Cisco Live Events app.

Continue your education



Visit the Cisco Stand for related demos



Book your one-on-one Meet the Expert meeting



Attend the interactive education with Capture the Flag, and Walk-in Labs



Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand

Contact me at: pubajaj@cisco.com through Webex or email

Thank you

CISCO Live !

