

AI Meets NetDevOps

MCP-Powered Automation for Modern Networks

Kareem Iskander

Principle Engineer, Learn with Cisco

@Kareem_Isk




Agenda

- 01 Introduction
- 02 NetDevOps as we know it
- 03 How AI Fits Into NetDevOps
- 04 What is MCP?
- 05 Why it Matters?
- 06 Use Case & Demo
- 07 Resources & Q&A

Introduction


From NetDevOps to NetAIOps

Circa 2017




From NetDevOps to NetAIOps

CLI-only Era



Automation




AI Networking



Networks are changing—and so are how we deploy them

AI Powered NetDevOps



Data Sources



Create Proposed Branch
Push Changes



Update Configuration
Deploy Changes and Test



Build Test Network




Send Notification

Today

What is MCP?


MCP - The USB-C for AI Agents

- **Model Context Protocol (MCP):**
 - Open standard developed by Anthropic
 - Connects AI Agents with external data & tools
 - Defines a simple **Host-Protocol-Server** architecture
 - Exposes **primitives**: Tools (actions), Resources (data), Prompts (templates)



✗ MCP is not an AI Agent!
✗ MCP is not an AI Assistant!
✗ MCP is not an LLM!

✓ MCP is a Protocol!
✓ Just like TCP!
✓ Just like UDP!




MCP Architecture - Overview

MCP Client

- **Lives inside the MCP Host** (AI app, IDE, or agent platform)
- **Speaks the MCP protocol** to connect with one or more MCP Servers
- **Sends requests / receives responses** between the agent and servers
- **Keeps the agent simple** – it doesn't need custom adapters for every service

MCP Server

- **Acts as the bridge** between AI Agents and real-world services/tools
- **Exposes capabilities** (tools, resources, prompts) in JSON
- **Executes requests** from the MCP Client
- **Hides complexity** provides a uniform MCP interface
- **Maintained by the service/tool provider**



MCP Architecture - Layers

Data Layer


JSON-RPC 2.0 message protocol and semantics

Handles lifecycle (init, capability negotiation, termination)

Core primitives: **tools**, **resources**, **prompts**

Transport Layer


- Manages connection setup, framing, auth between client & server.
- Supported transports:
 - **STDIO** (local, no network)
 - **Streamable HTTP** (remote, SSE for streaming, standard HTTP auth/OAuth)



So like ... What do I do now?

Get Started with MCP

1. Download a Client - Claude Desktop, Cursor IDE (don't build it)
2. Understand MCP Architecture (we just covered it)
3. Browse existing MCP servers to contextualize your world -
<https://github.com/punkpeye/awesome-mcp-servers/>
4. Build your first MCP server - FastMCP
<https://gofastmcp.com/getting-started/welcome>



Why it Matters?

MCP – Use Case

Configuration and change-management failures now cause nearly **45% of all network-related outages** – making configuration drift a top threat to uptime and resilience

To Mitigate – We proposed for you to talk to your customers to:

Adopt NetDevOPS

1. Automate your deployment
2. Use Single Source of Truth (document your network and not xls)
3. Add Observability



AI Generated



MCP - Use Case

So let's say your customer is..

- Managing a 10K+ devices Multi-Site **Meraki Network**
- Maintain **a single source of truth** for the network using **NetBox**
- **Automate config changes** and prevent configuration drift using **Webhooks + Python Code**
- **Audit log of changes** in a **Splunk**

Source of
Truth



Network
Controller



Middleware




Observability



Use Case - Simplified Architecture

In a perfect world ...

- All config changes start in **NetBox**
- **NetBox** fires off a Webhook
- **Middleware** updates config
- **Meraki** pushes change log
- **Splunk** stores logs



Enters Quinn – we all *know* a Quinn

Quinn does not play by the rules

- Logs into Meraki Dashboard
- Changes config
- Saves
- Leaves
-
- **BGP Down!!!!**



AI Generated

MCP – Why it Matters?

If we look at our use case – a couple of things to pay attention to

1. [In Building the automation pipeline](#) we have to build and manage the CRUD
 - Pull a list of Organization
 - Figure out network to updates
 - Pull list of devices
 - Match the serial number of device
 - Apply config changes
2. [After the “Quinn Incident”](#) we must investigate what happened
 - Log into Splunk
 - Query logs > traverse log data from Meraki
 - Check Network Documentation to figure out what values to reinstate

Let **AI** Just Do It!




AI Generated

MCP – Why it Matters?

Let the AI Agent Heal the Network

3 MCP Servers – 1 MCP Host


- Expose API Endpoints as MCP Tools
- Let the AI Agent figure out the CRUD
- Let the AI Agent cross examine Config Drift
- Let the AI Agent revert the changes
-
-
- Profit



Demo Time!

Resources

Get Started with AI on Cisco U.



AI Tutorials

Tutorials

- Understanding AI and LLMs as a Network Engineer
- Hands-On ChatGPT: Cisco pyATS and Genie
- Hands-On ChatGPT: Generating Documentation from Technical Sources
- Hands-On ChatGPT: A Practical Guide to Networking Prompt Templating
- Hands-On ChatGPT: Exploring the ChatGPT APIs
- Hands-On ChatGPT: Leveling Up Your Network Engineering GPT Prompts
- Hands-On ChatGPT: A Coding Guide for Network Engineers Uncomfortable with Python
- Hands-On ChatGPT: Building Infrastructure as Code
- Run Your Own LLM Locally For Free and with Ease
- Introduction to AI Vulnerabilities



kiskande@cisco.com



<http://cs.co/kiskblogs>



<https://www.linkedin.com/in/kiskander>



Kareem Iskander

Principal Engineer
Learn with Cisco

